



# White-Knight Plus® WC

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision Date: 5/12/2020

Date of Issue: 04/06/15

Version: 1.0

### SECTION 1: IDENTIFICATION

#### Product Identifier

**Product Form:** Mixture

**Product Name:** White-Knight Plus® WC

**Product Code:** 7838

#### Intended Use of the Product

Waterproofing Membrane. For professional use only.

#### Name, Address, and Telephone of the Responsible Party

##### Manufacturer

The Garland Company, Inc.  
3800 East 91<sup>st</sup> Street  
Cleveland, Ohio 44105-2197  
T-800-762-8225  
F-216-641-0633  
www.garlandco.com

##### Supplier

The Garland Company, Inc.  
3800 East 91<sup>st</sup> Street  
Cleveland, Ohio 44105-2197  
T-800-762-8225  
F-216-641-0633

The Garland Company, Inc.  
209 Carrier Drive  
Toronto, Ontario M9W 5Y8  
T-416-747-7995 800-387-5991  
F-416-747-1980

#### Emergency Telephone Number

**Emergency Number:** 1-800-262-8200 (CHEMTREC)

### SECTION 2: HAZARDS IDENTIFICATION

#### Classification of the Substance or Mixture

##### Classification (GHS-US)

Acute Tox. Oral 4	H302
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
Acute Tox. Inhal. 2	H330
Resp. Sens. 1	H334
STOT SE 3	H335
Skin Sens. 1	H317
Aquatic Acute 2	H401
Combustible liquid	H227

#### Label Elements

##### GHS-US Labeling

##### Hazard Pictograms (GHS-US)



##### Signal Word (GHS-US)

##### Hazard Statements (GHS-US)

- : Danger
- : H302 – Harmful if swallowed  
H315 – Causes skin irritation  
H317 – May cause an allergic skin reaction  
H319 – Causes serious eye irritation  
H330 - Fatal if inhaled  
H334 – May cause allergy of asthma symptoms or breathing difficulties if inhaled  
H335 - May cause respiratory irritation  
H401 - Toxic to aquatic life  
H227 – Combustible liquid

##### Precautionary Statements (GHS-US)

- : P260 - Do not breathe vapor.  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264 - Wash face, hands and any exposed skin thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P271 - Use only outdoors or in a well-ventilated area.  
P272 - Contaminated work clothing should not be allowed out of the workplace.

# White-Knight Plus® WC

## Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Revision Date: 5/12/2020

Date of issue: 04/06/2015

P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P284 - Wear respiratory protection.  
P285 - In case of inadequate ventilation wear respiratory protection.  
P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.  
P304 + P341 - IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.  
P320 - Specific treatment is urgent (see supplemental instructions on the administration of antidotes on this label).  
P321 - Specific treatment (see supplemental first aid instructions on this label).  
P330 - Rinse mouth.  
P332 + P313 - If skin irritation occurs: Get medical advice/attention.  
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P337 + P313 - If eye irritation persists: Get medical advice/attention.  
P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.  
P362 - Take off contaminated clothing and wash before reuse.  
P363 - Wash contaminated clothing before reuse.  
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.  
P405 - Store locked up.  
P501 - Dispose of contents/container to an approved landfill.  
P210 - Keep away from heat, hot surfaces, sparks, open flames

### Other Hazards

**Other Hazards Not Contributing to the Classification:** Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

**Unknown Acute Toxicity (GHS-US)** Not available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Substance

Not available

### Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
Cyclohexane, 1,1'-methylenebis[4-isocyanato-	(CAS No) 5124-30-1	0.1-1	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Acute 2, H401
Titanium Dioxide	(CAS No) 13463-67-7	10-30	Skin Irrit. 2, H315
Calcium Carbonate	(CAS No) 1317-65-3	0.1-1	Combustible dust
4-Chlorobenzotrifluoride	(CAS No) 98-56-6		Flam. Liq. 3, H226 Senz. Skin 1, H317 Aquatic Acute 2, H401

# White-Knight Plus® WC

## Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Revision Date: 5/12/2020

Date of issue: 04/06/2015

			Aquatic Chronic 2, H411
--	--	--	-------------------------

Full text of H-Phrases: See Section 16

## SECTION 4: FIRST AID MEASURES

### Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

**Inhalation:** Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Rinse immediately with plenty of water. Obtain medical attention if irritation develops or persists. Wash contaminated clothing before reuse.

**Eye Contact:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

**Ingestion:** Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

### Most Important Symptoms and Effects Both Acute and Delayed

**General:** Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Fatal if inhaled. May cause allergy of asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Toxic to aquatic life.

**Inhalation:** Fatal if inhaled. May cause allergy of asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.

**Skin Contact:** May cause an allergic skin reaction.

**Eye Contact:** Causes serious eye irritation.

**Ingestion:** Harmful if swallowed.

**Chronic Symptoms:** None expected under normal conditions of use.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

## SECTION 5: FIRE-FIGHTING MEASURES

### Extinguishing Media

**Suitable Extinguishing Media:** Foam. Dry chemical. Dry powder. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable Extinguishing Media:** Do not use a solid water stream as it may scatter and spread fire.

### Special Hazards Arising From the Substance or Mixture

**Explosion Hazard:** Combustible material. Keep product and empty container away from heat and sources of ignition.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### Advice for Firefighters

**Firefighting Instructions:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Hydrocarbons.

**Other Information:** Refer to Section 9 for flammability properties.

### Reference to Other Sections

Refer to section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Evacuate personnel to safe areas. Remove all sources of ignition. Ensure adequate ventilation. Use personal protective equipment.

#### For Non-emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### For Emergency Responders

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Stop leak if safe to do so. Eliminate ignition sources. Ventilate area.

### Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### Methods and Material for Containment and Cleaning Up

# White-Knight Plus<sup>®</sup> WC

## Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Revision Date: 5/12/2020

Date of issue: 04/06/2015

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### Reference to Other Sections

See Heading 8, Exposure Controls and Personal Protection.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

**Precautions for Safe Handling:** Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Remove all sources of ignition.

**Hygiene Measures:** Wash hands before breaks and at the end of workday. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

**Engineering Measures:** Do not allow ventilation equipment to draw material odors indoors.

### Conditions for Safe Storage, Including Any Incompatibilities

**Storage Conditions:** Keep away from open flames, hot surfaces and sources of ignition. Keep tightly closed in a dry and cool place. Keep out of the reach of children.

**Incompatible Materials:** Strong oxidizing agents. Water. Amines. Bases. Alcohols.

**Storage Area:** Store locked up. Store in a well-ventilated place. Keep cool.

**Special Rules on Packaging:** Keep only in original container.

### Specific End Use(s)

For professional use only.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Controls

Chemical Name	ACGIH TLV	OSHA PEL	Ontario TWAEV	Mexico
Calcium Carbonate		TWA: 15 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	STEL: 20 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	STEL: 20 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>
Methylene bis(4-cyclohexylisocyanate)	TWA: 0.005 ppm		TWA: 0.005 ppm	TWA: 0.01 ppm TWA: 0.11 mg/m <sup>3</sup>

Chemical Name	NIOSH IDLH
Titanium dioxide	5000 mg/m <sup>3</sup>

**Appropriate Engineering Controls:** Do not allow ventilation equipment to draw material odors indoors.

**Personal Protective Equipment:** Safety glasses with side-shields. Long sleeved clothing. Impervious gloves. In case of insufficient ventilation wear suitable respiratory equipment.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear chemically resistant materials and fabrics.

**Eye Protection:** Chemical goggles or safety glasses. Face shield.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

**Thermal Hazard Protection:** Wear suitable protective clothing.

**Environmental Exposure Controls:** Do not allow the product to be released into the environment.

**Consumer Exposure Controls:** Do not eat, drink, or smoke during use.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: White
Odor	: Petroleum distillates
Odor Threshold	: Not available
pH	: Not available
Relative Evaporation Rate (butyl acetate = 1)	: Not available

# White-Knight Plus® WC

## Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Revision Date: 5/12/2020

Date of issue: 04/06/2015

<b>Melting Point</b>	: -60 °C ( -76°F)
<b>Freezing Point</b>	: Not available
<b>Boiling Point</b>	: 149 - 182 °C (300.2 - 359.6 °F)
<b>Flash Point</b>	: 180°F (83°C)
<b>Auto-ignition Temperature</b>	: Not available
<b>Decomposition Temperature</b>	: Not available
<b>Flammability (solid, gas)</b>	: Not available
<b>Lower Flammable Limit</b>	: .7
<b>Upper Flammable Limit</b>	: 10.7
<b>Vapor Pressure</b>	: 2.0 @ 20 C mmHg
<b>Relative Vapor Density at 68°F (20°C)</b>	: > 1 (Air = 1)
<b>Relative Density</b>	: 11.4 lb/gal
<b>Specific Gravity</b>	: 1.37
<b>Solubility</b>	: Not available
<b>Partition coefficient: n-octanol/water</b>	: Not available
<b>Viscosity (Brookfield RV6, 20 RPM, 75°F)</b>	: Not available
<b>Explosion Data – Sensitivity to Mechanical Impact</b>	: Not available
<b>Explosion Data – Sensitivity to Static Discharge</b>	: Not available
<b>Volatile Organic Compounds</b>	: 50 g/L

## SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Hazardous reactions will not occur under normal conditions.

**Chemical Stability:** Flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

**Possibility of Hazardous Reactions:** None under normal processing.

**Conditions to Avoid:** Open flames and intense heat.

**Incompatible Materials:** Strong oxidizing agents. Water. Amines. Bases. Alcohols.

**Hazardous Decomposition Products:** Organic materials. Carbon dioxide (CO<sub>2</sub>). Carbon monoxide. Hydrocarbons. Nitrogen oxides (NO<sub>x</sub>).

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects – Ingredient(s)

#### Acute Toxicity

##### Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Titanium dioxide	10000 mg/kg Rat		
Methylene bis(4-cyclohexylisocyanate)	1065 mg/kg Rat	10000 mg/kg Rabbit	0.434 mg/L Rat 4 h 295 ppm Rat 4 h

#### Chronic Toxicity

Chemical Name	ACGIH	IARC	NTP	OSHA	Mexico
Titanium dioxide		Group 2B		X	

## SECTION 12: ECOLOGICAL INFORMATION

### Toxicity

**Ecology - General:** Toxic to aquatic life.

#### Persistence and Degradability

Not established

#### Bioaccumulative Potential

Not established

#### Mobility in Soil

Not established

#### Other Adverse Effects

**Other Information:** Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

**Additional Information:** Empty containers should be taken for local recycling, recovery or waste disposal.

# White-Knight Plus® WC

## Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Revision Date: 5/12/2020

Date of issue: 04/06/2015

### SECTION 14: TRANSPORT INFORMATION

#### In Accordance with DOT

Proper Shipping Name : Not regulated

Hazard Class :

Identification Number :

Packing Group :

ERG Number :

#### In Accordance with IMDG

Proper Shipping Name : Not regulated

Hazard Class :

Identification Number :

Packing Group :

Label Codes :

EmS-No. (Fire) :

EmS-No. (Spillage) :

#### In Accordance with IATA

Proper Shipping Name : Not regulated

Hazard Class : 3

Identification Number : UN1263

Packing Group : III

Label Codes : 3

ERG Code (IATA) : 3L

#### In Accordance with TDG

Proper Shipping Name : Not regulated

Hazard Class :

Identification Number :

Packing Group :

Label Codes :

### SECTION 15: REGULATORY INFORMATION

#### International Inventories

All of the components in the product are on the following Inventory lists: No information available, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (ECL), China (IECSC), Japan (ENCS), Philippines (PICCS).

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	CHINA	KECL	PICCS	AICS
Calcium Carbonate	X	X	X	X	X	X	X	X	X	X
Titanium dioxide	X	X	X	X	X	X	X	X	X	X
Methylene bis(4-cyclohexylisocyanate)	X	X	X	X	X	X	X	X	X	X

TSCA	Complies
DSL	Complies
NDSL	Complies
EINECS	Complies
ELINCS	Complies
ENCS	Complies
CHINA	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

#### US Federal Regulations

##### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40n of the Code of Federal Regulations, Part 372:

# White-Knight Plus<sup>®</sup> WC

## Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Revision Date: 5/12/2020

Date of issue: 04/06/2015

Chemical Name	SARA 313 - Threshold Values
Methylene bis(4-cyclohexylisocyanate) (CAS #: 5124-30-1)	1.0

### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any HAPs.

### US State Regulations


#### California Proposition 65

WARNING: This product contains a chemical(s) known to the State of California to cause cancer.

#### State Right-to-Know

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Calcium Carbonate	X		X		X
Titanium dioxide	X	X	X		X
Methylene bis(4-cyclohexylisocyanate)	X	X	X		X

### Canadian Regulations

White-Knight Plus <sup>®</sup> WC	
WHMIS Classification	Class B Division 3 – Combustible liquid Class D Division 2 Subdivision A – Very toxic material causing other toxic effects.
	

Chemical Name	NPRI
Methylene bis(4-cyclohexylisocyanate)	X

#### Legend

NPRI - National Pollutant Release Inventory

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date : 05/12/2020

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

#### Party Responsible for the Preparation of This Document

The Garland Company, Inc.  
3800 East 91<sup>st</sup> Street  
Cleveland, Ohio 44105-2197  
T-800-762-8225

*This information is based on our knowledge as of the Revision Date and is intended to describe the product only for the purposes of health, safety, and environmental requirements as of the Revision Date. It should not therefore be construed as guaranteeing any specific property of the product nor as providing any warranty, expressed or implied. The user assumes all responsibility, liability, risk of loss, damage, or expense arising out of, or in any way connected with, the handling, storage, use, or disposal of the product.*

North America GHS US 2015 & WHMIS