

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: N/A

Date of Issue: 07/13/2022

Version: 1.0

### **SECTION 1: IDENTIFICATION**

<u>Product Identifier</u> <u>Product Form:</u> Mixture

Product Name: Garla-Block 2K Part A

Product Code: 7300

<u>Intended Use of the Product</u> Primer. For professional use only.

Name, Address, and Telephone of the Responsible Party

Manufacturer Supplier

The Garland Company, Inc.

The Garland Company, Inc.

The Garland Company, Inc.

3800 East 91<sup>st</sup> Street 3800 East 91<sup>st</sup> Street 209 Carrier Drive

Cleveland, Ohio 44105-2197 Cleveland, Ohio 44105-2197 Toronto, Ontario M9W 5Y8
T-800-762-8225 T-800-762-8225 T-416-747-7995 ; 800-387-5991

F-216-641-0633 F-216-641-0633 F-416-747-1980

www.garlandco.com www.garlandco.com

**Emergency Telephone Number** 

Emergency Number: 1-800-262-8200 (CHEMTREC)

## **SECTION 2: HAZARDS IDENTIFICATION**

### Classification of the Substance or Mixture

Classification (GHS-US):

Skin Irritation Cat 2
Skin sensitizer Cat 1
Eye Irritation Cat 2A
STOT SE Cat 3
Chronic Aquatic Tox. Cat 2

Label Elements
GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) : Warning

Hazard Statements (GHS-US) : H315: Causes skin irritation

H319: Causes serious eye irritation H317: May cause an allergic skin reaction H335-May cause respiratory irritation

H411: Toxic to aquatic life with long lasting effects

Precautionary Statements (GHS-US) :

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash face, hands and any exposed skin thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment. P280 Wear eye protection/ face protection.

P281 Use personal protective equipment as required.

Response:

### Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Revision Date: N/A Date of issue: 07/13/2022

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minuts.

Remove contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P332 + P313 - If skin irritation occurs: Get medical advice/attention.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage.

P501 - Dispose of contents/ container to an approved waste disposal plant.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### Component

HAZARDOUS INGREDIENTS:	CAS#	CAS# Weight %	
Epoxy Resin	(CAS No) 25068-38-6	80-90%	
Oxirane	(CAS No) 68609-97-2	10-20%	

**Composition Comments**: Exact concentrations and chemical identities of ingredients not listed above are either classified as non-hazardous or are withheld as a trade secret as covered by OSHA's Hazard Communication Standard, 29 CFR 1910.1200(i).

### **SECTION 4: FIRST AID MEASURES**

### **Description of First Aid Measures**

General: If you feel unwell, seek medical advice (show the label where possible).

Inhalation: REMOVE VICTIM TO FRESH AIR AND ADMINISTER OXYGEN IF NECESSARY

**Skin Contact**: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Removecontaminated clothing. Launder contaminated clothing before re-use.

**Eye Contact**: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation develops.

Ingestion: DO NOT INDUCE VOMITING, KEEP PERSON WARM AND CONSULT A PHYSICIAN IMMEDIATELY.

## **SECTION 5: FIRE-FIGHTING MEASURES**

### **Extinguishing Media**

Suitable Extinguishing Media: Foam, CO2, Dry Chemical, Water, Fog

### **Advice for Firefighters**

**Fire Fighting Procedures**: Exercise caution when fighting any chemical fire.

**Protection During Firefighting**: Avoid breathing fire gases or vapors. Evacuate area. Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray to disperse vapors and protect those stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

**Special Protective Equipment for Firefighters**: Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing includes helmets, protective boots, and gloves will provide a basic level of protection for chemical incidents.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment, and emergency procedures

07/13/2022 En (English US) Page **2** of **6** 

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Revision Date: N/A Date of issue: 07/13/2022

**Personal precautions:** Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be

taken without appropriate training or involving any personal risk. Do not touch or walk into

spilled material. Avoid contact with skin and eyes.

**Environmental precautions** 

**Environmental precautions:** Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic

environment.

### Methods and Materials for Containment and Cleaning Up

For Containment: Contain spilled material if possible. Absorb with materials such as: Dirt. Vermiculite. Sand.

**Methods for Cleaning Up:** Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills

immediately and dispose of waste safely. Small Spillages: Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash

thoroughly after dealing with a spillage. For waste disposal, see Section 13.

**Reference to Other Sections:** For personal protection, see Section 8. See Section 11 for additional information on health

hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see

Section 13.

## **SECTION 7: HANDLING AND STORAGE**

## **Precautions for Safe Handling**

**General Handling**: Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink, and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Suspected of causing cancer. May damage fertility. May damage the unborn child. Pregnant or breastfeeding women should not work with this product if there is any risk of exposure. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

**Advice on General Occupational Hygiene**: Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.

### **Conditions for Safe Storage**

**General**: Store away from incompatible materials (see Section 10). Store locked up. Keep only in the original container. Keep container tightly closed in a cool, well ventilated place. Keep containers upright. Protect containers from damage. This product polymerizes when in contact with moisture.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### **EXPOSURE LIMITS/GUIDELINES:**

Chemical Name	CAS#	ACGIH TWA	OSHA TWA	OSHA STEL
Epoxy Resin	(CAS No) 25068-38-6	None	None	None
Oxirane	(CAS No) 68609-97-2	None	None	None

#### **Control Parameters**

### **Occupational Exposure Limits**

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation to ensure exposure levels aremaintained below the limits provided above. Use local exhaust ventilation to control airborne vapor. Ensure eyewash/safety shower stations are available near areas where this product is used.

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Revision Date: N/A Date of issue: 07/13/2022

**RESPIRATORY PROTECTION:** Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

**EYE PROTECTION:** Safety glasses or chemical goggles as appropriate to prevent eye contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards.

**HAND PROTECTION:** Use chemical resistant gloves to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada.

**BODY PROTECTION:** Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### **Information on Basic Physical and Chemical Properties**

PHYSICAL STATE: Liquid

APPEARANCE & ODOR: Viscous liquid

ODOR THRESHOLD (PPM): Not Available

**FLASH POINT:** >140 F (This product has been tested to the ASTM D-4206

Standard and determined that it does not sustain combustion)

AUTOIGNITION TEMPERATURE: Not Established

VAPOR PRESSURE (mmHg): Not Available

VAPOR DENSITY: Not Available

**EVAPORATION RATE (nBuAc = 1): BOILING POINT (C°):**Not Available

FREEZING POINT (C°): Not Available

pH: Not Available

SPECIFIC GRAVITY 20°C: (WATER =1) Not Available

SOLUBILITY IN WATER (%) Not Available

**EXPLOSIVE PROPERTIES:** Not Available

OXIDISING PROPERTIES: Not Available

### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity**: No additional information available.

Chemical Stability: Stable under recommended storage conditions. See Storage, Section 7.

Possibility of Hazardous Reactions: No potentially hazardous reactions known.

**Conditions to Avoid**: Avoid excessive heat or open flames as well as all sources of ignition such as sparks, heaters, and static discharges.

07/13/2022 En (English US) Page **4** of **6** 

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Revision Date: N/A Date of issue: 07/13/2022

Incompatible Materials: No data available

Hazardous Decomposition Products: Does not decompose when used and stored as recommended. Thermal decomposition may

produce harmful gases or vapors.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on Toxicological Effects - Product

**TOXICITY DATA:** Toxicity data is not available for this product:

**IRRITANCY OF PRODUCT:** Contact with this product can be irritating to exposed skin, eyes, and respiratory system.

**SENSITIZATION OF PRODUCT:** This product is considered a skin sensitizer.

### **SECTION 12: ECOLOGICAL INFORMATION**

### Toxicity

Specific Component Data:

Oxirane (68609-97-2)

static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 5,000 mg/l - 96 h (OECD Test Guideline 203)

Immobilization EC50 - Daphnia magna (Water flea) - 7.2 mg/l - 48 h (OECD Test Guideline 202)

Growth inhibition IC50 - Pseudokirchneriella subcapitata (algae) - 843.75 mg/l - 72 h (OECD Test Guideline 201)

### **Persistence and Degradability**

No known applicable information.

**Mobility in Soil** 

Mobility in Soil: No data available

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste Disposal Recommendations: Waste generation should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

**Unused and Contaminated Product**: Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

### **SECTION 14: TRANSPORRT INFORMATION**

#### 14.1 In Accordance with DOT

Proper Shipping Name : Not regulated

Hazard Class : N/A
Identification Number : N/A
Packing Group : N/A

14.2 In Accordance with IMDG

Proper Shipping Name : Not regulated

Hazard Class : N/A
Identification Number : N/A
Packing Group : N/A

14.3 In Accordance with IATA

Proper Shipping Name : Not regulated

Hazard Class : N/A
Identification Number : N/A

07/13/2022 En (English US) Page **5** of **6** 

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Revision Date: N/A Date of issue: 07/13/2022

Packing Group : N/A

### **SECTION 15: REGULATORY INFORMATION**

## **US Federal Regulations**

OSHA 29 CFR 1910-1200 - See section 2

TSCA – All components of this product are listed on TSCA Inventory.

CERCLA Reportable Quantity - Xylene - 1000 lb RQ

SARA Title III: Section 302 Extremely Hazardous Substances – None

Section 304 – Not applicable.

Section 311/312 - Acute health and Chronic Health

Section 313 - Xylene, 1.0% threshold value

RCRA – Refer to section 13. **US State Regulations** 

## Component data:

### **State Right to Know:**

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Epoxy Resin		Х	Х		

## **SECTION 16: OTHER INFORMATION**

**Revision Date** : 4/13/2022

Other Information : This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200.

Party Responsible for the : The Garland Company, Inc.

**Preparation of This Document** 3800 East 91<sup>st</sup> Street

Cleveland, Ohio 44105-2197

T-1800-762-8225 F-216-641-0633

This information is based on our knowledge as of the Revision Date and is intended to describe the product only for the purposes of health, safety and environmental requirements as of the Revision Date. It should not therefore be construed as guaranteeing any specific property of the product nor as providing any warranty, expressed or implied. The user assumes all responsibility, liability, risk of loss, damage, or expense arising out of, or in any way connected with, the handling, storage, use, or disposal of the product.

North America GHS US 2019 & WHMIS

07/13/2022 En (English US) Page **6** of **6**