

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 04/13/2018 Date of issue: 04/16/2018

**SECTION 1: IDENTIFICATION** 

<u>Product Identifier</u> <u>Product Form:</u> Mixture

Product Name: Black Knight Cold

**Product Code: 7343** 

**Intended Use of the Product** 

Cold Applied Rubber Modified Coal Tar Roof Adhesive/Coating. For professional use only.

Name, Address, and Telephone of the Responsible Party

Manufacturer Supplier

The Garland Company, Inc.

The Garland Company, Inc.

Garland Canada, Inc.

3800 East 91st Street

3800 East 91st Street

209 Carrier Drive

Cleveland, Ohio 44105-2197 Cleveland, Ohio 44105-2197 Toronto, Ontario M9W 5Y8

T-800-762-8225 T-800-762-8225 T-416-747-7995
F-216-641-0633 F-216-641-0633 F-416-747-1980
www.garlandco.com www.garlandco.com www.garlandco.com

**Emergency Telephone Number** 

Emergency Number : 1-800-762-8225 24 hours

## **SECTION 2: HAZARDS IDENTIFICATION**

## **Classification of the Substance or Mixture**

## Classification (GHS-US)

Flam. Liq. 3 H226 Skin Sens. 1 H317 Muta. 1B H340 Carc. 1A H350 Repr. 1B H360 Label Elements

# GHS-US Labeling Hazard Pictograms (GHS-US)







Signal Word (GHS-US) : Danger

Hazard Statements (GHS-US) : H226 - Flammable liquid and vapor

H317 - May cause an allergic skin reaction

H340 - May cause genetic defects

H350 - May cause cancer

H360 - May damage fertility or the unborn child **Precautionary Statements (GHS-US)** : P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from open flames, sparks. - No smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical, lighting, ventilating equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P261 - Avoid breathing mist, spray, vapors.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P280 - Wear protective gloves, eye protection, face protection.

P302+P352 - If on skin: Wash with plenty of water.

04/16/2018 EN (English US) Page **1** of **13** 

Version: 2.0

### Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Revision Date: 04/13/2018 Date of Issue: 04/16/2018

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P321 - Specific treatment (see details on this label).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use powder, water spray, foam, carbon dioxide to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to in accordance with local, regional, and national regulations.

## **Other Hazards**

Skin irratation may be aggravated by exposure to sunlight/UV rays.

Unknown Acute Toxicity (GHS-US) Not available

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## Mixture

Name	Product identifier	%	GHS-US classification
Pitch, coal tar, high-temp	(CAS No) 65996-93-2	50-60	Muta. 1B, H340
			Carc. 1B, H350
			Repr. 1B, H360
Solvent naphtha (petroleum),	(CAS No) 64742-95-6	15-25	Muta. 1B, H340
light arom., Low boiling point			Carc. 1B, H350
naphtha - unspecified, [A			Asp. Tox. 1, H304
complex combination of			
hydrocarbons obtained from			
distillation of aromatic			
streams. It consists			
predominantly of aromatic			
hydrocarbons having carbon			
numbers predominantly in			
the range of C8 through C10			
and boiling in the range of			
approximately 135°C to			
210°C (275°F to 410°F).]			
1,2,4-trimethylbenzene	(CAS No) 95-63-6	<= 7	Flam. Liq. 3, H226
			Acute Tox. 4
			(Inhalation:vapour), H332
			Skin Irrit. 2, H315
			STOT SE 3, H335
			Aquatic Chronic 2, H411
Fluoranthene	(CAS No) 206-44-0	1-5	Acute Tox. 4 (Oral), H302
Phenanthrene	(CAS No) 85-01-8	1-5	Acute Tox. 4 (Oral), H302
			Skin Irrit. 2, H315
			Eye Irrit. 2B, H320
			Skin Sens. 1, H317
			STOT SE 3, H335
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410
Benzo[a]anthracene	(CAS No) 56-55-3	0.1-1	Carc. 1B, H350
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410

04/16/2018 EN (English US) Page **2** of **13** 

### Safety Data Sheet

 $According \ To \ Federal \ Register \ / \ Vol. \ 77, \ No. \ 58 \ / \ Monday, \ March \ 26, \ 2012 \ / \ Rules \ And \ Regulations$ 

Revision Date: 04/13/2018 Date of Issue: 04/16/2018

Chrysene	(CAS No) 218-01-9	0.1-1	Muta. 2, H341
			Carc. 1B, H350
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410
Benzo[a]pyrene	(CAS No) 50-32-8	0.1-1	Skin Sens. 1, H317
			Muta. 1B, H340
			Carc. 1A, H350
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410
Indeno(1,2,3-cd)pyrene	(CAS No) 193-39-5	0.1-1	Carc. 1B, H350
Benzo[e]acephenanthrylene	(CAS No) 205-99-2	0.1-1	Carc. 1B, H350
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410
Cumene	(CAS No) 98-82-8	<= 1	Flam. Liq. 3, H226
			Carc. 2, H351
			STOT SE 3, H335
			Asp. Tox. 1, H304
			Aquatic Chronic 2, H411
Dibenz(a,h)anthracene	(CAS No) 53-70-3	0.1-1	Carc. 1B, H350
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410
Dibenzo(a,i)pyrene	(CAS No) 189-55-9	0.1-1	Carc. 1B, H350

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200]. A range of concentration as prescribed by the Controlled Products Regulations has been used where necessary, due to varying composition.

## **SECTION 4: FIRST AID MEASURES**

### **Description of First Aid Measures**

**General:** Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.

Inhalation: Allow victim to breathe fresh air. Allow the victim to rest.

**Skin Contact:** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. If skin irritation or rash occurs: Consult a doctor/medical service. Get medical advice/attention. Wash contaminated clothing before reuse.

Eye Contact: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### Most Importt Symptanoms and Effects Both Acute and Delayed

**Skin Contact:** Prolonged or repeated skin contact may cause moderate to severe irritation including itching and redness of the skin, defatting, and/or dermatitis. This product can be absorbed through the skin and produce CNS symptoms. Single prolonged exposure is not likely to result in the product being absorbed through the skin in harmful amounts. Photosensitization of the skin may occur. This irritation has a burning sensation somewhat like sunburn and is accentuated by sunlight. Repeat or prolonged contact may contribute to conditions such as dermatitis, tar warts, and rough skin.

Inhalation: Irritating to the respiratory tract. Prolonged or repeated breathing of very high vapor concentrations cause euphoria, excitation, and dizziness, headaches, nausea, and vomiting, abdominal pain, fatigue, muscular weakness. Aspiration into the lungs can cause CNS (central nervous system) symptoms and subsequent aspiration into the lungs can cause pulmonary edema and chemical pneumonia depression. Chronic overexposure in high concentrations may produce CNS depression.

**Eye Contact:** May cause tearing, stinging, redness, irritation, and burns.

**Ingestion:** Irritation of the mouth, esophagus, and stomach can develop following ingestion. Symptoms include burning of the mouth, sore throat, vomiting, nausea, dizziness, loss of consciousness. Due to its light viscosity, there is danger of aspiration into the lungs during vomiting. Aspiration can result in severe lung damage or death.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

No additional information available.

04/16/2018 EN (English US) Page **3** of **13** 

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 04/13/2018 Date of Issue: 04/16/2018

## **SECTION 5: FIRE-FIGHTING MEASURES**

## **Extinguishing Media**

Suitable Extinguishing Media: Foam. Dry powder. Carbon dioxide. Sand. Dry Chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Solid water jet ineffective as extinguishing medium.

## **Special Hazards Arising From the Substance or Mixture**

Fire Hazard: Flammable liquid and vapor.

**Explosion Hazard:** May form flammable/explosive vapour-air mixture.

**Reactivity:** Not available **Advice for Firefighters** 

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Prevent fire-fighting water from entering environment. Treat as a fuel fire. Water and foam may cause frothing. When cooling/extinguishing: no water in the substance.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Not available

**Reference to Other Sections** 

Refer to section 9 for flammability properties.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### <u>Personal Precautions, Protective Equipment and Emergency Procedures</u>

**General Measures:** Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Wear gloves, protective clothing and safety glasses.

### **For Non-Emergency Personnel**

Protective Equipment: Wear gloves, protective clothing and safety glasses.

Emergency Procedures: Evacuate unnecessary personnel.

**For Emergency Personnel** 

**Protective Equipment:** Equip cleanup crew with proper protection.

Emergency Procedures: Evacuate unnecessary personnel. Eliminate ignition sources. Stop leak if safe to do so. Ventilate area.

Prevent entry to sewers and public waters.

### **Environmental Precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

### Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Containment & Cleaning Up:** Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

## **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection.

## **SECTION 7: HANDLING AND STORAGE**

### **Precautions for Safe Handling**

**Additional Hazards When Processed:** Handle empty containers with care because residual vapors are flammable. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing mist, spray, vapors. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Eliminate all ignition sources if safe to do so.

**Hygiene Measures:** Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### **Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools.

**Storage Conditions:** Keep away from ignition sources, Keep container closed when not in use, Keep container tightly closed, Store in a well-ventilated place. Keep cool.

04/16/2018 EN (English US) Page 4 of 13

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Revision Date: 04/13/2018 Date of Issue: 04/16/2018

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

Specific End Use(s)

Cold Applied Rubber Modified Coal Tar Roof Adhesive/Coating. For professional use only.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Pitch, coal tar, high-temp (65996-93-2)		
ACGIH	ACGIH TWA (mg/m³)	0.2 mg/m <sup>3</sup>
ACGIH	Remark (ACGIH)	Cancer

Cumene (98-82-8)		
ACGIH	ACGIH TWA (ppm)	50 ppm
ACGIH	ACGIH STEL (ppm)	50 ppm
ACGIH	Remark (ACGIH)	Eye, skin, & URT irr; CNS impair
OSHA	OSHA PEL (TWA) (mg/m³)	245 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	50 ppm

1,2,4-Trimethylbenzene (95-63-6)		
ACGIH	ACGIH TWA (ppm)	25 ppm
ACGIH	ACGIH STEL (ppm)	25 ppm

### **Exposure Controls**

Personal Protective Equipment: Avoid all unnecessary exposure. Wear gloves, protective clothing and safety glasses.







Materials for Protective Clothing: Wear chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or safety glasses.

**Skin and Body Protection:** Use of protective creams and sunscreen agents are recommended. Protective creams or "barrier creams" form a film that acts as both a chemical and physical "barrier" between skin and the contaminant and tends to penetration of the contaminant into the pores of the skin. In applying "barrier" creams, be sure the skin is clean and dry. Sunscreen agents filter out most of the rays from the sun.

**Respiratory Protection:** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**Environmental Exposure Controls:** Do not allow the product to be released into the environment.

Consumer Exposure Controls: Do not eat, drink or smoke during use

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### **Information on Basic Physical and Chemical Properties**

Physical State : Liquid

Appearance: A black, thick consistency liquidOdor: Tar odour; Aromatic Solvent Odor

Flash Point :  $112^{\circ}F / 44^{\circ}C$ 

04/16/2018 EN (English US) Page **5** of **13** 

### Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Date of Issue: 04/16/2018 Revision Date: 04/13/2018

Solubility Water: Solubility in water of component(s) of the mixture : •

benzo[a]pyrene: < 0.00001 g/100ml • benzo[e]acephenanthrylene: <

0.00001 g/100ml • naphthalene: 0.0030 g/100ml • phenanthrene: insoluble • pyrene: 0.000012 g/100ml • dibenz(a,h)anthracene: 0.00000025 g/100ml

• benzo[a]anthracene: 0.00001 g/100ml • fluoranthene: 0.000026 g/100ml • dibenzo(a,i)pyrene: insoluble • chrysene: 0.00000020 g/100ml •

indeno(1,2,3-cd)pyrene: < 0.00001 g/100ml • acenaphthene: insoluble • cumene: 0.005 g/100ml • 1,2,4-trimethylbenzene: 0.0060 g/100ml •

cellulose: < 0.1 g/100ml • chalk: < 0.1 g/100ml • 1,3-

butadiene/styrene,polymer: insoluble

910°F / 488°C **Autoignition Temperature** 

**Evaporation Rate** 0.37 for solvent (ether = 1)

**Boiling Point/Range** 313°F / 156°C **Vapor Pressure** 2.7 mmHg

Vapor Density 4.2

**Volatiles** <30% by volume

**VOC Content** 270 g/L

### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity**: No additional information available.

Chemical Stability: Flammable liquid and vapor. May form flammable/explosive vapour-air mixture.

Possibility of Hazardous Reactions: Not established.

Conditions to Avoid: Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

Incompatible Materials: Strong bases. Strong acids. Oxidizing agent.

Hazardous Decomposition Products: Carbon monoxide. Carbon dioxide. fume. May release flammable gases.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

Acute toxicity: Not classified

Skin corrosion/irritation: Causes skin irritation. Serious eye damage/irritation: Not classified

**Respiratory or skin sensivitation:** May cause an allergic skin reaction.

Germ cell mutagenicity: May cause genetic defects.

Carcinogenicity: May cause cancer.

Benzo[a]pyrene (50-32-8)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	3 - Reasonably anticipated to be Human Carcinogen

Benzo[e]acephenanthrylene (205-99-2)	
IARC group	2B - Possibly carcinogenic to humans
National Toxicology Program (NTP) Status	3 - Reasonably anticipated to be Human Carcinogen

Phenanthrene (85-01-8)	
IARC group	3 - Not classifiable

Dibenz(a,h)anthracene (53-70-3)	
IARC group	2A - Probably carcinogenic to humans
National Toxicology Program (NTP) Status	3 - Reasonably anticipated to be Human Carcinogen

Benzo[a]anthracene (56-55-3)	
IARC group	2B - Possibly carcinogenic to humans
National Toxicology Program (NTP) Status	3 - Reasonably anticipated to be Human Carcinogen

5		 0
Elugranthone (206 44 0)		
Fluoranthene (206-44-0)		
riadiantiche (200 ++ 0)		

04/16/2018 EN (English US) Page 6 of 13

## Safety Data Sheet

LD50 oral rat

LD50 dermal rat

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

IARC group	3 - Not classifiable
Dibenzo(a,i)pyrene (189-55-9)	
IARC group	2B - Possibly carcinogenic to humans
National Toxicology Program (NTP) Status	3 - Reasonably anticipated to be Human Carcinogen
Chrysene (218-01-9)	
IARC group	2B - Possibly carcinogenic to humans
Indox (4.2.2 addresses (4.02.20 E)	
Indeno(1,2,3-cd)pyrene (193-39-5) IARC group	2B - Possibly carcinogenic to humans
National Toxicology Program (NTP) Status	3 - Reasonably anticipated to be Human Carcinogen
National Toxicology Frogram (NTF) Status	3 - Neasonably anticipated to be numan carcinogen
Pitch, coal tar, high-temp (65996-93-2)	
IARC group	1 - Carcinogenic to humans
cumono (09 92 9)	
cumene (98-82-8) IARC group	2B - Possibly carcinogenic to humans
in the group	25 Tossibly carellogethe to Hamans
Phenanthrene (85-01-8)	
LD50 oral rat	1800 mg/kg (Rat)
ATE US (oral)	1800.000 mg/kg bodyweight
Fluoranthene (206-44-0)	
LD50 oral rat	2000 mg/kg (Rat)
LD50 dermal rabbit	3180 mg/kg (Rabbit)
ATE US (oral)	2000.000 mg/kg bodyweight
ATE US (dermal)	3180.000 mg/kg bodyweight
Pitch, coal tar, high-temp (65996-93-2)	
LD50 oral rat	> 15000 mg/kg bodyweight (Rat; OECD 401: Acute Oral
	Toxicity; Experimental value)
LD50 dermal rat	> 2000 mg/kg bodyweight (Rat; Experimental value; OECD
	402: Acute Dermal Toxicity)
Cumene (98-82-8)	2000 // /0 + 0 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 +
LD50 oral rat	> 2000 mg/kg (Rat; Other; Literature study; 4000 mg/kg
IDEO darmal rabbit	bodyweight; Rat; Other; Inconclusive, insufficient data)
LOSO dermal rabbit	10578 mg/kg (Rabbit; Literature study; Other) 40 mg/l/4h (Rat; Literature study)
LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm)	
N. I /	8000 ppm/4h (Rat; Literature study) 10578.000 mg/kg bodyweight
ATE US (dermal)	8000.000 ppmv/4h
ATE US (gases) ATE US (vapours)	40.000 mg/l/4h
ATE US (Vapours) ATE US (dust,mist)	40.000 mg/l/4h
7112 00 (dustyllist)	TO.000 IIIB/I/TII
1,2,4-Trimethylbenzene (95-63-6)	
	5000 mg/l/g / Bet Freeinglant on similar to OFCD 404

04/16/2018 EN (English US) Page **7** of **13** 

Toxicity)

> 5000 mg/kg (Rat; Equivalent or similar to OECD 401;

Literature; 6000 mg/kg bodyweight; Rat; Experimental value)

> 3440 mg/kg (Rat; Read-across; OECD 402: Acute Dermal

## Safety Data Sheet

 $According \ To \ Federal \ Register \ / \ Vol. \ 77, \ No. \ 58 \ / \ Monday, \ March \ 26, \ 2012 \ / \ Rules \ And \ Regulations$ 

Revision Date: 04/13/2018 Date of Issue: 04/16/2018

LC50 inhalation rat (mg/l)	18 mg/l/4h (Rat)
ATE US (vapours)	18.000 mg/l/4h
ATE US (dust,mist)	18.000 mg/l/4h

Reproductive toxicity

Specific target organ toxicity (single

exposure)

Specific target organ toxicity (repeated

exposure)

Aspiration hazard

Potential adverse human health effects

and symptoms

Symptoms/injuries after inhalation

May damage fertility or the unborn child.

Not classified

Not classified

May be fatal if swallowed and enters airways.

Based on available data, the classification criteria are not met.

Irritating to the respiratory tract. Prolonged or repeated breathing of very high vapor concentrations cause euphoria, excitation, and dizziness, headaches, nausea, and vomiting, abdominal pain, fatigue, muscular weakness. Aspiration into the lungs can cause CNS (central nervous system) symptoms and subsequent aspiration into the lungs can cause pulmonary edema and chemical pneumonia depression. Chronic

overexposure in high concentrations may produce CNS depression.

**Symptoms/injuries after skin contact** Prolonged or repeated skin contact may cause moderate to severe irritation

including itching and redness of the skin, defatting, and/or dermatitis. This product can be absorbed through the skin and produce CNS symptoms. Single prolonged exposure is not likely to result in the product being absorbed through the skin in harmful amounts. Photosensitization of the skin may occur. This irritation has a burning sensation somewhat like sunburn and is accentuated by sunlight. Repeat or prolonged contact may contribute to conditions such as dermatitis, tar warts, and

rough skin.

**Symptoms/injuries after eye contact** May cause tearing, stinging, redness, irritation, and burns.

**Symptoms/injuries after ingestion** Irritation of the mouth, esophagus, and stomach can develop following ingestion.

Symptoms include burning of the mouth, sore throat, vomiting, nausea, dizziness, loss of consciousness. Due to its light viscosity, there is danger of aspiration into the lungs during

vomiting. Aspiration can result in severe lung damage or death.

## **SECTION 12: ECOLOGICAL INFORMATION**

## Toxicity

**Ecology - General:** This product may cause adverse environmental effects if used improperly or release to the environment through a spill. Employ best management practices to prevent this material from entering storm sewer systems, waterways or otherwise impacting plant and animal species.

### **Persistence and Degradability**

Black Knight Cold	
Persistence and degradability	May cause long-term adverse effects in the environment.
Bioaccumulative Potential	
Black Knight Cold	
Bioaccumulative potential Not established.	

Mobility in Soil No additional information available

#### **Other Adverse Effects**

Other Information: Avoid release to the environment.

04/16/2018 EN (English US) Page 8 of 13

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Revision Date: 04/13/2018 Date of Issue: 04/16/2018

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste Disposal Recommendations: Dispose in a safe manner in accordance with local/national regulations. This product, as supplied, is regulated as a hazardous waste by the U.S. Environmental Protection Agency(EPA) under Resource Conservation and Recovery Act(RCRA) regulations. If discarded in its purchased form, the product is a RCRA hazardous waste. It is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or residue of the product remains classified as a hazardous waste as per 40 CFR 261, Subpart C. State or local regulations may also apply if they are differing from federal regulation. RCRA Hazard Class: D001, Ignitable Hazardous Waste.

Ecology - Waste Materials: Avoid release to the environment.

## **SECTION 14: TRANSPORT INFORMATION**

In Accordance with DOT

Proper Shipping Name : Not Regulated when shipped in containers <119 gallons [49 CFR 173.120(b)(2)]. Non-bulk

packages are exempt from DOT HM-181 shipping requirements.

**Description** : BULK> 119 gallon container: Tars, liquid, UN1999,PG III

In Accordance with IMDG

Proper Shipping Name : Tars, liquid, UN1999, PG III

In Accordance with IATA

Proper Shipping Name : Tars, liquid, UN1999, PG III

**In Accordance with TDG** 

Proper Shipping Name : Not regulated

## **SECTION 15: REGULATORY INFORMATION**

### **US Federal Regulations**

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Benzo[a]pyrene (50-32-8)	
Listed on United States SARA Section 313	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1 lb

Benzo[b]fluoranthene (205-99-2)	
Listed on United States SARA Section 313	
RO (Reportable quantity, section 304 of EPA's List of Lists)	1 lb

Phenathrene (85-01-8)	
Listed on United States SARA Section 313	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb

dibenz(a,h)anthracene (53-70-3)	
Listed on United States SARA Section 313	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1 lb

benzo[a]anthracene (56-55-3)	
Listed on United States SARA Section 313	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	10 lb

fluoranthene (206-44-0)	
Listed on United States SARA Section 313	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	100 lb

dibenzo(a,i)pyrene	(189-55-9)
Listed on United Sta	tes SARA Section 313

04/16/2018 EN (English US) Page **9** of **13** 

### Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Revision Date: 04/13/2018 Date of Issue: 04/16/2018

RQ (Reportable quantity, section 304 of EPA's List of Lists)	10 lb
114 (116) 51 145 16 944 1111 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	

chrysene (218-01-9)	
Listed on United States SARA Section 313	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	100 lb

indeno(1,2,3-cd)pyrene (193-39-5)	
Listed on United States SARA Section 313	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	100 lb

Cumene (98-82-8)	
Listed on United States SARA Section 313	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb

## 1,2,4-trimethylbenzene (95-63-6)

Listed on United States SARA Section 313

## **National Regulations**

### **Black Knight Cold**

All chemical substances in this product are listed in the EPA (Environment Protection Agency) TSCA (Toxic Substances Control Act) Inventory.

### Benzo[a]pyrene (50-32-8)

Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program)

### Benzo[b]fluoranthene (205-99-2)

Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program)

### dibenz(a,h)anthracene (53-70-3)

Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program)

#### benzo[a]anthracene (56-55-3)

Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program)

### dibenzo(a,i)pyrene (189-55-9)

Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program)

## chrysene (218-01-9)

Listed on IARC (International Agency for Research on Cancer)

### indeno(1,2,3-cd)pyrene (193-39-5)

Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program)

### Pitch, coal tar, high temp. (65996-93-2)

Listed on IARC (International Agency for Research on Cancer)

### cumene (98-82-8)

Listed on IARC (International Agency for Research on Cancer)

04/16/2018 EN (English US) Page **10** of **13** 

## Safety Data Sheet

 $According \ To \ Federal \ Register \ / \ Vol. \ 77, \ No. \ 58 \ / \ Monday, \ March \ 26, \ 2012 \ / \ Rules \ And \ Regulations$ 

Revision Date: 04/13/2018 Date of Issue: 04/16/2018

## **US State Regulations**

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity.

Benzo[a]pyrene (50-32-8)				
U.S California -	U.S California -	U.S California -	U.S California -	No significance risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity -	Reproductive Toxicity -	
		Female	Male	
Yes	No	No	No	0.06

Benzo[b]fluoranthene (205-99-2)				
U.S California -	U.S California -	U.S California -	U.S California -	No significance risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity -	Reproductive Toxicity -	
		Female	Male	
Yes	No	No	No	0.096

dibenz(a,h)anthracene (53-70-3)				
U.S California -	U.S California -	U.S California -	U.S California -	No significance risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity -	Reproductive Toxicity -	
		Female	Male	
Yes	No	No	No	0.2

benzo[a]anthracene (56-55-3)				
U.S California -	U.S California -	U.S California -	U.S California -	No significance risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity -	Reproductive Toxicity -	
		Female	Male	
Yes	No	No	No	0.033

dibenzo(a,i)pyrene (189-55-9)				
U.S California -	U.S California -	U.S California -	U.S California -	No significance risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity -	Reproductive Toxicity -	
		Female	Male	
Yes	No	No	No	0.0050

chrysene (218-01-9)				
U.S California -	U.S California -	U.S California -	U.S California -	No significance risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity -	Reproductive Toxicity -	
		Female	Male	
Yes	No	No	No	0.35

indeno(1,2,3-cd)pyrene	indeno(1,2,3-cd)pyrene (193-39-5)				
U.S California -	U.S California -	U.S California -	U.S California -	No significance risk level	
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)	
Carcinogens List	Developmental Toxicity	Reproductive Toxicity -	Reproductive Toxicity -		
		Female	Male		

04/16/2018 EN (English US) Page **11** of **13** 

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Revision Date: 04/13/2018 Date of Issue: 04/16/2018

VΔc	N o	l Na	l No
	l No	l No	l No
103	110	140	110

cumene (98-82-8)				
U.S California -	U.S California -	U.S California -	U.S California -	No significance risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity -	Reproductive Toxicity -	
		Female	Male	
Yes	No	No	No	

### Benzo[a]pyrene (50-32-8)

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

#### Benzo[b]fluoranthene (205-99-2)

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

#### Phenathrene (85-01-8)

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

### dibenz(a,h)anthracene (53-70-3)

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

#### benzo[a]anthracene (56-55-3)

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

### fluoranthene (206-44-0)

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

## dibenzo(a,i)pyrene (189-55-9)

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

### chrysene (218-01-9)

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

### indeno(1,2,3-cd)pyrene (193-39-5)

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

## Pitch, coal tar, high temp. (65996-93-2)

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

### cumene (98-82-8)

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

## 1,2,4-trimethylbenzene (95-63-6)

U.S. - New Jersey - Right to Know Hazardous Substance List

### **Canadian Regulations**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

04/16/2018 EN (English US) Page **12** of **13** 

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Revision Date: 04/13/2018 Date of Issue: 04/16/2018

**Black Knight Cold** 

WHMIS Classification Class B Division 3 - Combustible Liquid

Class D Division 2 Subdivision B - Toxic material causing other toxic effects





## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 04/16/2018

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200.

### Party Responsible for the Preparation of This Document

The Garland Company, Inc. 3800 East 91st Street Cleveland, Ohio 44105-219**7** T-800-762-8225

This information is based on our knowledge as of the Revision Date and is intended to describe the product only for the purposes of health, safety, and environmental requirements as of the Revision Date. It should not therefore be construed as guaranteeing any specific property of the product nor as providing any warranty, expressed or implied. The user assumes all responsibility, liability, risk of loss, damage, or expense arising out of, or in any way connected with, the handling, storage, use, or disposal of the product.

North America GHS US 2018 & WHMIS

04/16/2018 EN (English US) Page **13** of **13**