

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision Date: 05/13/2015 Date of Issue: 10/17/2017 Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture Product Name: Garla-Shield

Product Code: 7510

Intended Use of the Product

Cold process, asphalt emulsion. For professional use only.

Name, Address, and Telephone of the Responsible Party

Manufacturer

The Garland Company, Inc. The Garland Company, Inc. The Garland Company, Inc.

3800 East 91st Street 3800 East 91st Street 209 Carrier Drive

Cleveland, Ohio 44105-2197 Cleveland, Ohio 44105-2197 Toronto, Ontario M9W 5Y8 T-800-762-8225 T-800-762-8225 T-416-747-7995 800-387-5991

F-416-747-1980 F-216-641-0633 F-216-641-0633

www.garlandco.com

Emergency Telephone Number

Emergency Number: 1-800-262-8200 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

Carc. 1B H350

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) Danger

Hazard Statements (GHS-US) H350-May cause cancer by route of exposure if conclusively proven that no other

route applies

Precautionary Statements (GHS-US) P201 - Obtain special instructions before use.

> P202 - Do not handle until all safety precautions have been read and understood. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P308 + P313 - IF exposed or concerned: Get medical advice/attention.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant.

Other Hazards

Other Hazards Not Contributing to the Classification: Not available

Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not available

Mistura

<u>wixture</u>				
Name	Product Identifier	% (w/w)	Classification (GHS-US)	
Asphalt	(CAS No) 8052-42-4	50-60	Carc. 2, H351	
Silica	(CAS No) 14808-60-7	.01-1	Carc. 1A, H350 STOT RE 1, H372	

Full text of H-Phrases: See Section 16

10/17/2017 En (English US) Page 1 of 9

Safety Data Sheet

 $According \ to \ Federal \ Register/Vol.\ 77,\ No.\ 58/Monday,\ March\ 26,\ 2012/Rules\ and\ Regulations$

Revision Date: 05/13/2015 Date of issue: 10/17/2017

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: Allow victim to breathe fresh air. Allow the victim to rest.

First-aid Measures After Skin Contact: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid Measures After Eye Contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

First-aid Measures After Ingestion: If swallowed, do NOT induce vomiting. Consult a physician. Never give anything by mouth to an unconscious person.

Most Important Symptoms and Effects, Both Acute and Delayed

General: Irritation to eyes, skin, and respiratory tract. May be fatal if swallowed or enters airways.

Symptoms/Injuries After Inhalation: May cause respiratory irritation. May cause drowsiness or dizziness.

Symptoms/Injuries After Skin Contact: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.

Symptoms/Injuries After Eye Contact: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.

Symptoms/Injuries After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Chronic Symptoms: May cause genetic defects. May cause cancer.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable Extinguishing Media: Do not use a heavy water stream.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Water Based Product with no Flash Point. Material will not burn in liquid state. Cured product will burn.

Explosion Hazard: May form explosive flammable/explosive vapor-air mixture.

Reactivity: Product is stable. **Advice for Firefighters**

Precautionary Measures Fire: Not available

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Prevent fire-fighting water from entering environment.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid contact with skin and the eyes. Ensure adequate ventilation. Remove all sources of ignition.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release into the environment.

Methods and Material for Containment and Cleaning Up

For Containment: Contain with dikes or absorbents to prevent migration and entry into sewers or streams. Absorb and/or contain spill with inert material.

Methods for Cleaning Up: Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Keep in suitable and closed containers for disposal.

Reference to Other Sections

See Heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Revision Date: 05/13/2015 Date of issue: 10/17/2017

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and when leaving work.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Keep container tightly closed and store in a dry, well-ventilated place. Keep out of reach of children.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

Storage Area: Store locked up. Store in a well-ventilated place. Keep cool.

Special Rules on Packaging: Keep only in original container.

Specific End Use(s)

For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Asphalt (8052-42-4)		
Mexico	OEL TWA (mg/m³)	5 mg/m ³
Mexico	OEL STEL (mg/m³)	10 mg/m ³
USA ACGIH	ACGIH TWA (mg/m³)	0.5 mg/m ³
USA NIOSH	NIOSH REL (ceiling) (mg/m³)	5 mg/m ³
Ontario	OFI TWA (mg/m ³)	0.5mg/m^3

Stoddard solvent (8052-41-3)		
Mexico	OEL TWA (mg/m³)	523 mg/m ³
Mexico	OEL TWA (ppm)	100 ppm
Mexico	OEL STEL (mg/m ³)	1050 mg/m ³
Mexico	OEL STEL (ppm)	200 ppm
USA ACGIH	ACGIH TWA (ppm)	100 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	2900 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	500 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	350 mg/m ³
USA NIOSH	NIOSH REL (ceiling) (mg/m³)	1800 mg/m ³
USA IDLH	US IDLH (mg/m³)	20000 mg/m ³
Ontario	OEL TWA (mg/m³)	525 mg/m ³

Attapulgite (12174-11-7)		
Quebec	VEMP (mg/m³)	1 fibers/cm ³

Exposure Controls

Appropriate Engineering Controls: Do not allow ventilation equipment to draw material odors indoors. Personal Protective Equipment: Gloves. Protective goggles. Protective clothing.





Hand Protection: Wear chemically resistant materials and fabrics.

Eye Protection: Chemical goggles or safety glasses.

Skin and Body Protection: Wear suitable protective clothing. **Respiratory Protection:** No special protective equipment required. **Thermal Hazard Protection:** Wear suitable protective clothing.

Environmental Exposure Controls: Do not allow the product to be released into the environment.

Consumer Exposure Controls: Do not eat, drink, or smoke during use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State : Liquid
Appearance : Dark brown

Odor : Petroleum distillates

10/17/2017 En (English US) Page **3** of **6**

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Revision Date: 05/13/2015 Date of issue: 10/17/2017

Boiling Point: 343°C (650°F)Flash Point: <400°F / <204°C</th>Auto-ignition Temperature: <700°F / <371°C</th>

Specific Gravity : >1.0

Solubility : partly miscible Volatile Organic Compounds : 0.0 g/L

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Hazardous reactions will not occur under normal conditions.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: None under normal processing.

Conditions to Avoid: Temperatures below 0°C.

Incompatible Materials: None known.

Hazardous Decomposition Products: Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

SECTION 11: TOXICOLOGICAL INFORMATION

Information On Toxicological Effects - Product

Acute Toxicity: Not classified. LD50 and LC50 Data: Not available.

Skin Corrosion/Irritation: Causes skin irritation.
Serious Eye Damage: Causes serious eye irritation.
Respiratory or Skin Sensitization: Not classified.
Germ Cell Mutagenicity: May cause genetic defects.

Teratogenicity: Not available. **Carcinogenicity:** May cause cancer.

Specific Target Organ Toxicity (Repeated Exposure): May cause damage to organs through prolonged or repeated

exposure.

Reproductive Toxicity: May damage fertility or the unborn child. **Aspiration Hazard:** May be fatal if swallowed and enters airways. **Specific Target Organ Toxicity (Single Exposure):** Not classified.

Symptoms/Injuries After Inhalation: May cause respiratory irritation. May cause drowsiness or dizziness.

Symptoms/Injuries After Skin Contact: Causes skin irritation.

Symptoms/Injuries After Eye Contact: Causes serious eye irritation.

Symptoms/Injuries After Ingestion: May be fatal if swallowed and enters airways.

Chronic Symptoms: May cause genetic defects. May cause cancer.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

LD30 dila Le30 Data.	
Asphalt (8052-42-4)	
LD50 Oral Rat	>5000 mg/kg
LD50 Dermal Rabbit	>2000 mg/kg
IARC Group	2B
National Toxicity Program Status	Twelfth Report- Items under consideration

Stoddard solvent (8052-41-3)	
LD50 Oral Rat	>5 g/kg
LD50 Dermal Rabbit	>3 mg/kg

Solvent naphtha, petroleum, light aromatic (64742-95-6)	
LD50 Dermal Rabbit	>2000 mg/kg
LC50 Inhalation Rat (ppm)	3400 ppm/4h

Attapulgite (12174-11-7)	
IARC Group	2B, 3

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

10/17/2017 En (English US) Page 4 of 6

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Revision Date: 05/13/2015 Date of issue: 10/17/2017

Stoddard solvent (8052-41-3)	
LC50 Fish 1	.42 mg/l

Solvent naphtha, petroleum, light aromatic (64742-95-6)	
LC50 Fish 1	9.22 mg/l (Exposure time: 96 h – Species: Oncornhynchus
	mykiss)
EC50 Daphnia 1	6.14 mg/l (Exposure time: 96 h – Species: Daphnia magna)

Persistence and Degradability

Not available

Bioaccumulative Potential

Asphalt (8052-42-4)	
BCF fish 1	(No bioaccumulation expected)
Log Pow	>6

Stoddard solvent (8052-41-3)	
Log Pow	3.16 (Octanol/water partition coefficient 3.16/7.06)

Mobility in Soil

No additional information available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Additional Information: Empty containers should be taken for local recycling, recovery or waste disposal.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT

Proper Shipping Name: Not regulated 14.2 In Accordance with IMDG Proper Shipping Name: Not regulated

14.3 In Accordance with IATA

14.5 III Accordance with IATA

Proper Shipping Name: Not regulated

14.4 In Accordance with TDG

Proper Shipping Name: Not regulated

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

Asphalt (8052-42-4)

Listed on the United States TSCA

Stoddard solvent (8052-41-3)

Listed on the United States, TSCA (Toxic Substances Control Act)

Solvent naphtha, petroleum, light aromatic (64742-95-6)

Listed on the United States, TSCA (Toxic Substances Control Act) Inventory

US State Regulations

Attapulgite (12174-11-7)	
U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State
	of California to cause cancer

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Revision Date: 05/13/2015 Date of issue: 10/17/2017

Asphalt (8052-42-4)

RTK - U.S. - Massachusetts - Right To Know List

RTK - U.S. - New Jersey - Right to Know Hazardous Substance List

RTK - U.S. - Pennsylvania - RTK (Right to Know) List

Stoddard solvent (8052-41-3)

RTK - U.S. - Massachusetts - Right To Know List

RTK - U.S. - New Jersey - Right to Know Hazardous Substance List

RTK - U.S. - Pennsylvania - RTK (Right to Know) List

Canadian Regulations





Asphalt (8052-42-4)

Listed on the Canadian DSL (Domestic Substances List) Inventory

Stoddard solvent (8052-41-3)		
Listed on the Canadian DSL (Domestic Substances List) Inventory; Listed on the Canadian Ingredient Disclosure List		
WHMIS Classification	Class B Division 3 - Combustible Liquid	
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects	

Solvent naphtha, petroleum, light aromatic (64742-95-6)		
Listed on the Canadian DSL (Domestic Substances List) inventory.		
WHMIS Classification	Class B Division 3 - Combustible Liquid	
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects	

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date

10/17/2017

Other Information

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Party Responsible for the Preparation of This Document

The Garland Company, Inc. 3800 East 91st Street Cleveland, Ohio 44105-2197 T-800-762-8225

This information is based on our knowledge as of the Revision Date and is intended to describe the product only for the purposes of health, safety, and environmental requirements as of the Revision Date. It should not therefore be construed as guaranteeing any specific property of the product nor as providing any warranty, expressed or implied. The user assumes all responsibility, liability, risk of loss, damage, or expense arising out of, or in any way connected with, the handling, storage, use, or disposal of the product.

North America GHS US 2017 & WHMIS