



# StrataMax White, StrataMax Gray

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Revision Date: N/A Date of issue: 10/31/2023

Version:1.0

### SECTION 1: IDENTIFICATION

#### Product Identifier

**Product Form:** Mixture

**Product Name:** StrataMax White, StrataMax Gray

**Product Code:** 7480, 7485

#### Intended Use of the Product

Acrylic base coat. For professional use only.

#### Name, Address, and Telephone of the Responsible Party

##### **Manufacturer**

The Garland Company, Inc.  
3800 East 91st Street  
Cleveland, Ohio 44105-2197  
T-800-762-8225  
F-216-641-0633

[www.garlandco.com](http://www.garlandco.com)

##### **Supplier**

The Garland Company, Inc.  
3800 East 91st Street  
Cleveland, Ohio 44105-2197  
T-800-762-8225  
F-216-641-0633

[www.garlandco.com](http://www.garlandco.com)

#### Emergency Telephone Number

**Emergency number** : 1-800-762-8225 24 hours

### SECTION 2: HAZARDS IDENTIFICATION

#### Classification of the Substance or Mixture

##### **Classification (GHS-US)**

Skin Irrit. 2 H315  
Skin Sens. 1A H317  
Eye Irrit. 2A H319  
Canc H351  
Reproductive 2 H361  
STOT RE 2 H373

#### Label Elements

##### **GHS-US Labeling**

##### **Hazard Pictograms (GHS-US)**



##### **Signal Word (GHS-US)**

: Warning

##### **Hazard Statements (GHS-US)**

: H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H335 - May cause respiratory irritation  
H351 - Suspected of causing cancer  
H361 - Suspected of damaging fertility  
H373 - May cause damage to organs (kidneys) through prolonged or repeated exposure (oral)

##### **Precautionary Statements (GHS-US)**

: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.  
P261 - Avoid breathing mist, spray, vapors  
P264 - Wash hands, forearms, and exposed areas thoroughly after handling  
P271 - Use only outdoors or in a well-ventilated area  
P280 - Wear protective gloves, protective clothing and eye protection or face protection  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water

# StrataMax White, StrataMax Gray

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P261 – Avoid breathing mist or vapour or spray  
 P201 – Obtain special instructions before use  
 P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing  
 P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P312 - Call a POISON CENTER/doctor/physician if you feel unwell  
 P321 - Specific treatment (see Section 4)  
 P332+P313 - If skin irritation occurs: Get medical advice/attention  
 P337+P313 - If eye irritation persists: Get medical advice/attention  
 P362 - Take off contaminated clothing and wash before reuse  
 P403+P233 - Store in a well-ventilated place. Keep container tightly closed  
 P405 - Store locked up  
 P501 - Dispose of contents/container according to local, regional, national, and international regulations

### Other Hazards

**Other Hazards Not Contributing to the Classification:** Not available

**Unknown Acute Toxicity (GHS-US)** Not available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
Acrylic Polymer Solution		20 - 40	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Acrylic-polyurethane hybrid polymer	Not Established	5-10	
Ethylene glycol	(CAS No) 107-21-1	1 - 5	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
Cellulose, 2-hydroxyethyl ether	(CAS No) 9004-62-0	0.1 - 1	Comb. Dust Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Pentapotassium triphosphate	(CAS No) 13845-36-8	0.1 - 1	Comb. Dust Acute Tox. 4 (Oral), H302
2,2,4-Trimethylpentane-1,3-diol monoisobutyrate	(CAS No) 25265-77-4	0.1 - 1	Aquatic Acute 3, H402
Biocide	Not Established	0.1-1	
Antimony Trioxide	(CAS No) 1309-64-4	4-6	Carc 2, H351 Aquatic Acute 3, H402
bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate	(CAS No) 41556-26-7	<1.0	Skin Irrit. 2 H315 Skin Sens. 1A H317
Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	(CAS No) 82919-37-7	<1.0	Skin Sens. 1A H317
Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-	(CAS No) 104810-47-1	<1.0	Skin Sens. 1A H317 Aquatic Chronic 2 H411
Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy-	(CAS No) 104810-48-2	<1.0	Skin Sens. 1A H317 Aquatic Chronic 2 H411 Aquatic Acute 2 H401

# StrataMax White, StrataMax Gray

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 4: FIRST AID MEASURES

#### Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Ingestion:** Rinse mouth. Do NOT induce vomiting.

#### Most Important Symptoms and Effects Both Acute and Delayed

**General:** Irritation to eyes, skin and respiratory tract. Causes damage to organs (kidneys) (Oral).

**Inhalation:** May cause respiratory irritation. May cause drowsiness or dizziness.

**Skin Contact:** Causes skin irritation.

**Eye Contact:** Causes serious eye irritation.

**Ingestion:** Ingestion may cause nausea, vomiting and diarrhea.

**Chronic Symptoms:** Causes damage to organs through prolonged or repeated exposure.

#### Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

### SECTION 5: FIRE-FIGHTING MEASURES

#### Extinguishing Media

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, foam, water spray, fog.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

#### Advice for Firefighters

**Precautionary Measures Fire:** Not available

**Firefighting Instructions:** Exercise caution when fighting any chemical fire.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Oxides of aluminum. Oxides of Antimony.

#### Reference to Other Sections

Refer to section 9 for flammability properties.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Handle in accordance with good industrial hygiene and safety practice.

#### For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area.

#### Environmental Precautions

Prevent entry to sewers and public waters.

#### Methods and Material for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Absorb and/or contain spill with inert material.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely.

#### Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

# StrataMax White, StrataMax Gray

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 7: HANDLING AND STORAGE

#### Precautions for Safe Handling

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Wash hands and forearms thoroughly after handling.

#### Conditions for Safe Storage, Including Any Incompatibilities

**Storage Conditions:** Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Incompatible Materials:** None known.

**Storage Temperature:** > 0 °C (32°F)

**Specific End Use(s)** Acrylic base coat

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control Parameters

Ethylene glycol (107-21-1)		
Mexico	OEL Ceiling (mg/m <sup>3</sup> )	100 mg/m <sup>3</sup>
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	100 mg/m <sup>3</sup>
Ontario	OEL Ceiling (mg/m <sup>3</sup> )	100 mg/m <sup>3</sup>
Antimony Trioxide (1309-64-4)		
USA OSHA	Z-1 Limits for Air Contaminants TWA (mg/m <sup>3</sup> )	0.5
USA ACGIH	TLV TWA (mg/m <sup>3</sup> )	0.02
NIOSH	REL (mg/m <sup>3</sup> )	0.5

#### Exposure Controls

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

**Personal Protective Equipment:** Gloves. Protective goggles.



**Materials for Protective Clothing:** Not available

**Hand Protection:** Wear chemically resistant protective gloves.

**Eye Protection:** Chemical goggles or safety glasses.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

**Other Information:** When using, do not eat, drink or smoke.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### Information on Basic Physical and Chemical Properties

Physical State	:	Liquid
Appearance	:	White
Odor	:	Slight
Boiling Point	:	100 °C (212°F)
Flash Point	:	Not available
Auto-ignition Temperature	:	< 204 (400°F)
Vapor Pressure	:	> 1 mm Hg
Relative Vapor Density at 20 °C	:	< 1
Solubility	:	Soluble in water
Explosion Data – Sensitivity to Mechanical Impact	:	Not expected to present an explosion hazard due to mechanical impact.
Explosion Data – Sensitivity to Static Discharge	:	Not expected to present an explosion hazard due to static discharge.

# StrataMax White, StrataMax Gray

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 10: STABILITY AND REACTIVITY

- Reactivity:** Hazardous reactions will not occur under normal conditions.
- Chemical Stability:** Stable at standard temperature and pressure.
- Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures.
- Incompatible Materials:** None known.
- Hazardous Decomposition Products:** When heated, material emits irritating fumes.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Information on Toxicological Effects - Product

- Acute Toxicity:** Not classified
- LD50 and LC50 Data:** Not available
- Skin Corrosion/Irritation:** Causes skin irritation.
- Serious Eye Damage/Irritation:** Causes serious eye irritation.
- Respiratory or Skin Sensitization:** Not classified
- Germ Cell Mutagenicity:** Not classified
- Teratogenicity:** Not available
- Carcinogenicity:** Not classified
- Specific Target Organ Toxicity (Repeated Exposure):** May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).
- Reproductive Toxicity:** Not classified
- Specific Target Organ Toxicity (Single Exposure):** May cause respiratory irritation.
- Aspiration Hazard:** Not classified
- Symptoms/Injuries After Inhalation:** May cause respiratory irritation. May cause drowsiness or dizziness.
- Symptoms/Injuries After Skin Contact:** Causes skin irritation.
- Symptoms/Injuries After Eye Contact:** Causes serious eye irritation.
- Symptoms/Injuries After Ingestion:** Ingestion may cause nausea, vomiting and diarrhea.
- Chronic Symptoms:** Causes damage to organs through prolonged or repeated exposure.

#### Information on Toxicological Effects - Ingredient(s)

##### LD50 and LC50 Data:

<b>Water (7732-18-5)</b>	
LD50 Oral Rat	> 90000 mg/kg
<b>Ethylene glycol (107-21-1)</b>	
LD50 Oral Rat	4000 mg/kg
LD50 Dermal Rabbit	3500 mg/kg
<b>Pentapotassium triphosphate (13845-36-8)</b>	
LD50 Oral Rat	2000 mg/kg
<b>Antimony Trioxide (1309-64-4)</b>	
LD50 Oral Rat	>34,600 mg/kg
LC50 Dermal – Rabbit	>8,300 mg/kg
<b>2,2,4-Trimethylpentane-1,3-diol monoisobutyrate (25265-77-4)</b>	
LD50 Oral Rat	3200 mg/kg
LD50 Dermal Rat	> 15200 mg/kg
<b>Antimony Trioxide (1309-64-4)</b>	
IARC Group	2A

### SECTION 12: ECOLOGICAL INFORMATION

**Toxicity** Not classified

<b>Ethylene glycol (107-21-1)</b>	
LC50 Fish 1	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

# StrataMax White, StrataMax Gray

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EC50 Daphnia 1	46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
<b>2,2,4-Trimethylpentane-1,3-diol monoisobutyrate (25265-77-4)</b>	
LC50 Fish 1	30 mg/l (Exposure time: 96 h - Species: Pimephales promelas)

<b>Antimony Trioxide (1309-64-4)</b>	
LC50 Daphnia 1	4.77mg/l (Exposure time: 21 d - Species: Daphnia magna)
ErC50 Algae 1	36.6 mg/l (Exposure time: 72 h - Species: Green Algae)
LC 50 Fish 1	14.4 mg/L(Exposure time: 96 h - Species: Pimephales promelas [static])

### Persistence and Degradability

<b>StrataMax</b>	
Persistence and Degradability	Not established.

### Bioaccumulative Potential

<b>StrataMax</b>	
Bioaccumulative Potential	Not established.

<b>Ethylene glycol (107-21-1)</b>	
Log Pow	-1.93

<b>2,2,4-Trimethylpentane-1,3-diol monoisobutyrate (25265-77-4)</b>	
Log Pow	3.47 (at 25 °C)

**Mobility in Soil** Not available

### Other Adverse Effects

**Other Information:** Avoid release to the environment.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

## **SECTION 14: TRANSPORT INFORMATION**

- 14.1 In Accordance with DOT** Not regulated for transport  
**14.2 In Accordance with IMDG** Not regulated for transport  
**14.3 In Accordance with IATA** Not regulated for transport  
**14.4 In Accordance with TDG** Not regulated for transport

## **SECTION 15: REGULATORY INFORMATION**

### US Federal Regulations

<b>Water (7732-18-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Cellulose, 2-hydroxyethyl ether (9004-62-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Ethylene glycol (107-21-1)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)	
<b>Antimony Trioxide (1309-64-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)	
<b>EPA TSCA Regulatory Flag</b>	Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.
<b>SARA Section 313 - Emission Reporting</b>	1.0 %

# StrataMax White, StrataMax Gray

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Pentapotassium triphosphate (13845-36-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 2,2,4-Trimethylpentane-1,3-diol monoisobutyrate (25265-77-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### US State Regulations

#### U.S. - California - Proposition 65 - Carcinogens List

WARNING: This product contains chemicals like antimony trioxide which are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### Antimony Trioxide (1309-64-4)

RTK - U.S. - Massachusetts - Right To Know List

RTK - U.S. - Pennsylvania - RTK (Right to Know) List

### Ethylene glycol (107-21-1)

RTK - U.S. - Massachusetts - Right To Know List

RTK - U.S. - New Jersey - Right to Know Hazardous Substance List

RTK - U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

RTK - U.S. - Pennsylvania - RTK (Right to Know) List

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision date** : 10/31/2023

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

### Party Responsible for the Preparation of This Document

The Garland Company, Inc.  
3800 East 91st Street  
Cleveland, Ohio 44105-2197  
T-800-762-8225

*This information is based on our knowledge as of the Revision Date and is intended to describe the product only for the purposes of health, safety, and environmental requirements as of the Revision Date. It should not therefore be construed as guaranteeing any specific property of the product nor as providing any warranty, expressed or implied. The user assumes all responsibility, liability, risk of loss, damage, or expense arising out of, or in any way connected with, the handling, storage, use, or disposal of the product.*

North America GHS US 2017 & WHMIS